



The Solution!

FASTENER DRIVE TOOL

Insert Bit / Power Bit
Impact Driver Bit / Bit Set






Magnetic Power Nutsetter

■ Magnetic Power Nutsetter – 1/4" Hex x 45mm L




| Item No. | Hex Drive |  | KGS |
|---------------|-----------|---|-----|
| Metric | | | |
| 448-541 | 5.5 mm | 50 | 0.9 |
| 448-542 | 6 mm | 50 | 0.9 |
| 448-543 | 7 mm | 50 | 0.9 |
| 448-544 | 8 mm | 50 | 1.0 |
| 448-545 | 9 mm | 50 | 1.0 |
| 448-546 | 10 mm | 50 | 1.2 |
| 448-547 | 11 mm | 50 | 1.5 |
| 448-548 | 12 mm | 50 | 1.5 |
| 448-549 | 13 mm | 30 | 0.9 |
| 448-550 | 14 mm | 30 | 1.5 |

SAE

| | | | |
|---------|-------|----|-----|
| 448-502 | 1/4" | 50 | 0.9 |
| 448-504 | 5/16" | 50 | 1.0 |
| 448-506 | 3/8" | 50 | 1.2 |
| 448-507 | 7/16" | 50 | 1.5 |
| 448-509 | 1/2" | 30 | 0.9 |
| 448-510 | 9/16" | 30 | 1.5 |

■ Magnetic Power Nutsetter – 1/4" Hex x 65mm L




| Item No. | Hex Drive |  | KGS |
|---------------|-----------|---|-----|
| Metric | | | |
| 448-561 | 5.5 mm | 30 | 0.7 |
| 448-562 | 6 mm | 30 | 0.7 |
| 448-563 | 7 mm | 30 | 0.7 |
| 448-564 | 8 mm | 30 | 0.8 |
| 448-565 | 9 mm | 30 | 1.0 |
| 448-566 | 10 mm | 30 | 1.0 |
| 448-567 | 11 mm | 30 | 1.4 |
| 448-568 | 12 mm | 30 | 1.4 |
| 448-569 | 13 mm | 30 | 1.5 |
| 448-570 | 14 mm | 30 | 1.7 |


SAE

| | | | |
|---------|-------|----|-----|
| 448-522 | 1/4" | 30 | 0.7 |
| 448-524 | 5/16" | 30 | 0.8 |
| 448-526 | 3/8" | 30 | 1.0 |
| 448-527 | 7/16" | 30 | 1.4 |
| 448-529 | 1/2" | 30 | 1.5 |
| 448-530 | 9/16" | 30 | 1.7 |

Ball-Lock Socket Adapter, Magnetic Bit Holder




■ Ball-Lock Socket Adapter – 1/4" Hex

| Item No. | Square Drive | Overall Length |  | KGS |
|------------|--------------|----------------|---|-----|
| SAE | | | | |
| 448-581 | 1/4" | 25 mm L | 100 | 1.0 |
| 448-582 | 1/4" | 50 mm L | 50 | 0.8 |
| 448-583 | 1/4" | 65 mm L | 50 | 1.0 |
| 448-585 | 3/8" | 50 mm L | 50 | 1.4 |
| 448-586 | 3/8" | 65 mm L | 50 | 1.6 |
| 448-588 | 1/2" | 72 mm L | 25 | 1.0 |




■ One-Piece Stainless Steel Magnetic Bit Holder – 1/4" Hex

| Item No. | Bit Drive | Overall Length |  | KGS |
|------------|-----------|----------------|---|-----|
| SAE | | | | |
| 448-941 | 1/4" | 60 mm L | 50 | 1.2 |
| 448-942 | 1/4" | 75 mm L | 50 | 1.7 |



■ Stainless Steel Housing Magnetic Bit Holder – 1/4" Hex

| Item No. | Bit Drive | Overall Length |  | KGS |
|------------|-----------|----------------|---|-----|
| SAE | | | | |
| 448-961 | 1/4" | 60 mm L | 50 | 1.2 |
| 448-962 | 1/4" | 75 mm L | 50 | 1.6 |
| 448-963 | 1/4" | 100 mm L | 25 | 1.0 |
| 448-964 | 1/4" | 150 mm L | 25 | 1.3 |

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Insert Bit – 25mm L


■ Insert Bit – 1/4" Hex x 25mm L

| Item No. | Tip Size |  | KGS |
|---------------------|----------|---|------|
| Phillips | | | |
| 444-200 | PH0 | 10 | 0.07 |
| 444-201 | PH1 | 10 | 0.07 |
| 444-202 | PH2 | 10 | 0.07 |
| 444-203 | PH3 | 10 | 0.07 |
| Slotted | | | |
| 444-213 | 3 mm | 10 | 0.07 |
| 444-214 | 4 mm | 10 | 0.07 |
| 444-215 | 4.5 mm | 10 | 0.07 |
| 444-216 | 5 mm | 10 | 0.07 |
| 444-217 | 5.5 mm | 10 | 0.07 |
| 444-218 | 6 mm | 10 | 0.07 |
| 444-219 | 6.5 mm | 10 | 0.07 |
| 444-220 | 7 mm | 10 | 0.08 |
| 444-221 | 8 mm | 8 | 0.09 |
| 444-222 | 10 mm | 8 | 0.11 |
| Hex – Metric | | | |
| 444-245 | 1.5 mm | 10 | 0.07 |
| 444-246 | 2 mm | 10 | 0.07 |
| 444-247 | 2.5 mm | 10 | 0.07 |
| 444-248 | 3 mm | 10 | 0.07 |
| 444-249 | 4 mm | 10 | 0.07 |
| 444-250 | 5 mm | 10 | 0.08 |
| 444-251 | 5.5 mm | 10 | 0.08 |
| 444-252 | 6 mm | 10 | 0.08 |
| 444-253 | 7 mm | 10 | 0.08 |
| 444-254 | 8 mm | 8 | 0.08 |
| 444-255 | 10 mm | 8 | 0.14 |
| Hex – SAE | | | |
| 444-231 | 1/16" | 10 | 0.07 |
| 444-232 | 5/64" | 10 | 0.07 |
| 444-233 | 3/32" | 10 | 0.07 |
| 444-234 | 7/64" | 10 | 0.07 |
| 444-235 | 1/8" | 10 | 0.07 |
| 444-236 | 9/64" | 10 | 0.07 |
| 444-237 | 5/32" | 10 | 0.08 |
| 444-238 | 3/16" | 10 | 0.08 |
| 444-239 | 7/32" | 10 | 0.08 |
| 444-240 | 1/4" | 10 | 0.08 |
| 444-242 | 5/16" | 8 | 0.08 |
| 444-243 | 3/8" | 8 | 0.14 |



Insert Bit – 25mm L

■ Insert Bit – 1/4" Hex x 25mm L

| Item No. | Tip Size |  | KGS |
|---------------------------------|----------|---|------|
| Hex Tamperproof – Metric | | | |
| 444-285 | 1.5 mm | 10 | 0.07 |
| 444-286 | 2 mm | 10 | 0.07 |
| 444-287 | 2.5 mm | 10 | 0.07 |
| 444-288 | 3 mm | 10 | 0.07 |
| 444-289 | 4 mm | 10 | 0.07 |
| 444-290 | 5 mm | 10 | 0.08 |
| 444-291 | 5.5 mm | 10 | 0.08 |
| 444-292 | 6 mm | 10 | 0.08 |
| 444-293 | 7 mm | 10 | 0.08 |
| 444-294 | 8 mm | 8 | 0.08 |
| 444-295 | 10 mm | 8 | 0.14 |



Hex Tamperproof

Hex Tamperproof – SAE

| | | | |
|---------|-------|----|------|
| 444-271 | 1/16" | 10 | 0.07 |
| 444-272 | 5/64" | 10 | 0.07 |
| 444-273 | 3/32" | 10 | 0.07 |
| 444-274 | 7/64" | 10 | 0.07 |
| 444-275 | 1/8" | 10 | 0.07 |
| 444-276 | 9/64" | 10 | 0.07 |
| 444-277 | 5/32" | 10 | 0.08 |
| 444-278 | 3/16" | 10 | 0.08 |
| 444-279 | 7/32" | 10 | 0.08 |
| 444-280 | 1/4" | 10 | 0.08 |
| 444-281 | 5/16" | 8 | 0.08 |
| 444-282 | 3/8" | 8 | 0.14 |

POZIDRIV®

| | | | |
|---------|-----|----|------|
| 444-340 | PZ0 | 10 | 0.07 |
| 444-341 | PZ1 | 10 | 0.07 |
| 444-342 | PZ2 | 10 | 0.07 |
| 444-343 | PZ3 | 10 | 0.07 |
| 444-344 | PZ4 | 10 | 0.08 |



POZIDRIV®

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Insert Bit – 25mm L

■ Insert Bit – 1/4" Hex x 25mm L

| Item No. | Tip Size | | KGS |
|--------------|----------|----|------|
| TORX® | | | |
| 444-301 | T5 | 10 | 0.04 |
| 444-302 | T6 | 10 | 0.04 |
| 444-303 | T7 | 10 | 0.04 |
| 444-304 | T8 | 10 | 0.04 |
| 444-305 | T9 | 10 | 0.04 |
| 444-306 | T10 | 10 | 0.04 |
| 444-307 | T15 | 10 | 0.04 |
| 444-308 | T20 | 10 | 0.05 |
| 444-309 | T25 | 10 | 0.05 |
| 444-310 | T27 | 10 | 0.05 |
| 444-311 | T30 | 10 | 0.05 |
| 444-313 | T40 | 10 | 0.06 |
| 444-314 | T45 | 8 | 0.07 |
| 444-315 | T50 | 8 | 0.08 |



TORX®

TORX® Tamperproof


| | | | |
|---------|-----|----|------|
| 444-321 | T5 | 10 | 0.04 |
| 444-322 | T6 | 10 | 0.04 |
| 444-323 | T7 | 10 | 0.04 |
| 444-324 | T8 | 10 | 0.04 |
| 444-325 | T9 | 10 | 0.04 |
| 444-326 | T10 | 10 | 0.04 |
| 444-327 | T15 | 10 | 0.05 |
| 444-328 | T20 | 10 | 0.05 |
| 444-329 | T25 | 10 | 0.05 |
| 444-330 | T27 | 10 | 0.05 |
| 444-331 | T30 | 10 | 0.05 |
| 444-332 | T35 | 10 | 0.06 |
| 444-333 | T40 | 10 | 0.06 |
| 444-334 | T45 | 8 | 0.07 |
| 444-335 | T50 | 8 | 0.08 |



TORX® Tamperproof

Insert Bit – 25mm L

■ Insert Bit – 1/4" Hex x 25mm L

| Item No. | Tip Size |  | KGS |
|------------------|----------|---|------|
| TORQ-SET® | | | |
| 444-351 | TS6 | 10 | 0.07 |
| 444-352 | TS8 | 10 | 0.07 |
| 444-353 | TS10 | 10 | 0.08 |



| | | | |
|-----------------|------|----|------|
| Spanner® | | | |
| 444-355 | SP4 | 10 | 0.07 |
| 444-356 | SP6 | 10 | 0.07 |
| 444-357 | SP8 | 10 | 0.07 |
| 444-358 | SP10 | 10 | 0.07 |



| | | | |
|------------------|-----|----|------|
| TRI-WING® | | | |
| 444-361 | TW1 | 10 | 0.07 |
| 444-362 | TW2 | 10 | 0.07 |
| 444-363 | TW3 | 10 | 0.07 |
| 444-364 | TW4 | 10 | 0.07 |



| | | | |
|----------------------|----|----|------|
| Square Recess | | | |
| 444-370 | S0 | 10 | 0.07 |
| 444-371 | S1 | 10 | 0.07 |
| 444-372 | S2 | 10 | 0.07 |
| 444-373 | S3 | 10 | 0.07 |



| | | | |
|-----------------|------------|----|------|
| Clutch C | | | |
| 444-381 | C1 (1/8") | 10 | 0.07 |
| 444-382 | C2 (5/32") | 10 | 0.07 |
| 444-383 | C3 (3/16") | 10 | 0.07 |



| | | | |
|---------------|----|----|------|
| Spline | | | |
| 444-385 | M5 | 10 | 0.07 |
| 444-386 | M6 | 10 | 0.07 |
| 444-387 | M8 | 10 | 0.08 |



1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Insert Bit – 36mm L , Power Bit – 50mm L

■ Insert Bit – 5/16" Hex x 36mm L



Hex

| Item No. | Tip Size | | KGS |
|------------------------------|----------|----|------|
| Abrasive Blasting Hex | | | |
| 444-849 | 4 mm | 10 | 0.12 |
| 444-850 | 5 mm | 10 | 0.14 |
| 444-852 | 6 mm | 10 | 0.15 |

■ Power Bit – 1/4" Hex x 50mm L



Phillips

| Item No. | Tip Size | | KGS |
|-----------------|----------|----|------|
| Phillips | | | |
| 444-400 | PH0 | 10 | 0.15 |
| 444-401 | PH1 | 10 | 0.15 |
| 444-402 | PH2 | 10 | 0.15 |
| 444-403 | PH3 | 10 | 0.16 |
| 444-404 | PH4 | 10 | 0.17 |

■ Round Shank Power Bit – 1/4" Hex x 50mm L



Phillips

| Item No. | Tip Size | | KGS |
|-----------------|----------|----|------|
| Phillips | | | |
| 444-600 | PH0 | 10 | 0.15 |
| 444-601 | PH1 | 10 | 0.15 |
| 444-602 | PH2 | 10 | 0.15 |
| 444-603 | PH3 | 10 | 0.16 |
| 444-604 | PH4 | 10 | 0.17 |



Slotted


| | | | |
|----------------|--------|----|------|
| Slotted | | | |
| 444-613 | 3 mm | 10 | 0.14 |
| 444-614 | 4 mm | 10 | 0.14 |
| 444-615 | 4.5 mm | 10 | 0.14 |
| 444-616 | 5 mm | 10 | 0.14 |
| 444-618 | 6 mm | 10 | 0.14 |
| 444-620 | 7 mm | 10 | 0.15 |
| 444-621 | 8 mm | 8 | 0.16 |
| 444-622 | 10 mm | 8 | 0.23 |

Power Bit – 50mm L

■ Round Shank Power Bit – 1/4" Hex x 50mm L



Hex

| Item No. | Tip Size |  | KGS |
|---------------------|----------|---|------|
| Hex – Metric | | | |
| 444-645 | 1.5 mm | 10 | 0.14 |
| 444-646 | 2 mm | 10 | 0.14 |
| 444-647 | 2.5 mm | 10 | 0.14 |
| 444-648 | 3 mm | 10 | 0.14 |
| 444-649 | 4 mm | 10 | 0.14 |
| 444-650 | 5 mm | 10 | 0.14 |
| 444-651 | 5.5 mm | 10 | 0.14 |
| 444-652 | 6 mm | 10 | 0.14 |
| 444-653 | 7 mm | 10 | 0.15 |
| 444-654 | 8 mm | 8 | 0.16 |
| 444-655 | 10 mm | 8 | 0.24 |

Hex – SAE

| | | | |
|---------|-------|----|------|
| 444-631 | 1/16" | 10 | 0.14 |
| 444-632 | 5/64" | 10 | 0.14 |
| 444-633 | 3/32" | 10 | 0.14 |
| 444-634 | 7/64" | 10 | 0.14 |
| 444-635 | 1/8" | 10 | 0.14 |
| 444-636 | 9/64" | 10 | 0.14 |
| 444-637 | 5/32" | 10 | 0.14 |
| 444-638 | 3/16" | 10 | 0.14 |
| 444-639 | 7/32" | 10 | 0.14 |
| 444-640 | 1/4" | 10 | 0.15 |
| 444-641 | 9/32" | 10 | 0.15 |
| 444-642 | 5/16" | 8 | 0.16 |
| 444-643 | 3/8" | 8 | 0.24 |

TORX® Tamperproof



TORX® Tamperproof

| | | | |
|---------|-----|----|------|
| 444-726 | T10 | 10 | 0.14 |
| 444-727 | T15 | 10 | 0.14 |
| 444-728 | T20 | 10 | 0.14 |
| 444-729 | T25 | 10 | 0.14 |
| 444-730 | T27 | 10 | 0.15 |
| 444-731 | T30 | 10 | 0.15 |
| 444-733 | T40 | 10 | 0.16 |
| 444-734 | T45 | 8 | 0.21 |
| 444-735 | T50 | 8 | 0.21 |

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Power Bit – 50mm L / 150mm L, Double End Power Bit



■ Round Shank Power Bit – 1/4" Hex x 100mm L

| Item No. | Tip Size | Overall Length | | KGS |
|----------|----------|----------------|--|-----|
|----------|----------|----------------|--|-----|

Abrasive Blasting Hex

| | | | | |
|---------|------|----------|----|------|
| 444-675 | 5 mm | 100 mm L | 10 | 0.25 |
|---------|------|----------|----|------|



■ Magnetic Ball End Power Bit – 1/4" Hex x 150mm L

| Item No. | Tip Size | Overall Length | | KGS |
|----------|----------|----------------|--|-----|
|----------|----------|----------------|--|-----|

Abrasive Blasting

| | | | | |
|---------|------|----------|----|------|
| 444-685 | 5 mm | 150 mm L | 10 | 0.35 |
|---------|------|----------|----|------|



Phillips

■ Double End Power Bit – 1/4" Hex

| Item No. | Tip Size | Overall Length | | KGS |
|----------|----------|----------------|--|-----|
|----------|----------|----------------|--|-----|

Phillips

| | | | | |
|---------|-----|----------|----|------|
| 448-649 | PH1 | 45 mm L | 10 | 0.09 |
| 448-650 | PH2 | 45 mm L | 10 | 0.09 |
| 448-648 | PH1 | 65 mm L | 10 | 0.15 |
| 448-651 | PH2 | 65 mm L | 10 | 0.15 |
| 448-652 | PH3 | 65 mm L | 10 | 0.15 |
| 448-659 | PH2 | 110 mm L | 10 | 0.27 |
| 448-653 | PH3 | 110 mm L | 10 | 0.27 |
| 448-660 | PH2 | 150 mm L | 10 | 0.37 |
| 448-655 | PH3 | 150 mm L | 10 | 0.37 |



Phillips

Abrasive Blasting Phillips

| | | | | |
|---------|-----|----------|----|------|
| 448-671 | PH2 | 75 mm L | 10 | 0.20 |
| 448-674 | PH2 | 100 mm L | 10 | 0.30 |

Impact Driver Bit

■ Impact Driver Bit – 5/16" Hex x 36mm L

| Item No. | Tip Size |  | KGS |
|----------|----------|---|-----|
|----------|----------|---|-----|

Phillips


| | | | |
|---------|-----|----|------|
| 448-361 | PH1 | 10 | 0.15 |
| 448-362 | PH2 | 10 | 0.15 |
| 448-363 | PH3 | 10 | 0.15 |
| 448-364 | PH4 | 10 | 0.15 |

Slotted

| | | | |
|---------|-------|----|------|
| 448-368 | 8 mm | 10 | 0.14 |
| 448-370 | 10 mm | 10 | 0.20 |
| 448-371 | 12 mm | 10 | 0.30 |



Phillips



Slotted

■ Impact Driver Bit – 5/16" Hex x 80mm L

| Item No. | Tip Size |  | KGS |
|----------|----------|---|-----|
|----------|----------|---|-----|

Phillips

| | | | |
|---------|-----|----|------|
| 448-801 | PH1 | 10 | 0.35 |
| 448-802 | PH2 | 10 | 0.35 |
| 448-803 | PH3 | 10 | 0.35 |
| 448-804 | PH4 | 10 | 0.35 |

Slotted

| | | | |
|---------|-------|----|------|
| 448-808 | 8 mm | 10 | 0.35 |
| 448-810 | 10 mm | 10 | 0.45 |



Phillips



Slotted

■ Impact Driver Bit – 5/16" Hex x 80mm L

| Item No. | Tip Size |  | KGS |
|----------|----------|---|-----|
|----------|----------|---|-----|

Abrasive Blasting Phillips

| | | | |
|---------|-----|----|------|
| 448-832 | PH2 | 10 | 0.40 |
| 448-833 | PH3 | 10 | 0.35 |



Phillips

1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER
DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND
WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



Blow Mold Box

■ 5 Pc. CrV Impact Driver Set with Bits

| Item No. | | KGS |
|--|---|-----|
| 448-106 | 1 | 1.0 |
| <ul style="list-style-type: none"> ● Impact Driver Handle ● 4 Impact Drive Bits : (5/16" Hex x 80mm L) <ul style="list-style-type: none"> ⊕ Phillips : PH2, PH3 ⊖ Slotted : 8mm, 10mm | | |



Blow Mold Box

■ 5 Pc. Impact Driver Set with Bits

| Item No. | | KGS |
|--|---|-----|
| 448-005 | 1 | 0.9 |
| <ul style="list-style-type: none"> ● Impact Driver Handle ● 4 Impact Drive Bits : (5/16" Hex x 36mm L) <ul style="list-style-type: none"> ⊕ Phillips : PH2, PH3 ⊖ Slotted : 8mm, 10mm | | |



Blow Mold Box

■ 14 Pc. Impact Driver Set with Bits

| Item No. | | KGS |
|---|---|-----|
| 448-014 | 1 | 1.3 |
| <ul style="list-style-type: none"> ● Impact Driver Handle ● 3/8" Drive Adapter : (3/8" Hex x 30mm L) ● 12 Impact Drive Bits : (5/16" Hex x 36mm L) <ul style="list-style-type: none"> ⊕ Phillips : PH1, PH2, PH3, PH4 ⊖ Slotted : 5mm, 6mm, 8mm, 10mm ○ Hex : 4mm, 5mm, 6mm, 8mm | | |



Blow Mold Box

■ 40 Pc. Impact Driver Bit Set


| Item No. | | KGS |
|--|---|-----|
| 448-040 | 1 | 1.8 |
| <ul style="list-style-type: none"> ● 2 Impact Bit Holders : 3/8" Dr. x 10mm Hex 1/2" Dr. x 10mm Hex ● 19 Impact Driver Bits : 10mm Hex x 75mm L <ul style="list-style-type: none"> ○ Hex : 4, 5, 6, 7, 8, 10, 12 mm ○ Spline : M5, M6, M8, M10, M12 ⊕ TORX® Tamperproof : T20, T25, T30, T40, T45, T50, T55 ● 19 Impact Driver Bits : 10mm Hex x 30mm L <ul style="list-style-type: none"> ○ Hex : 4, 5, 6, 7, 8, 10, 12 mm ○ Spline : M5, M6, M8, M10, M12 ⊕ TORX® Tamperproof : T20, T25, T30, T40, T45, T50, T55 | | |

Fastener Drive Set

31 Pc. Screwdriver Bit Set

| Item No. |  | KGS |
|----------|---|------|
| 444-001 | 6 | 0.38 |


- Screwdriver Bit Holder
- Adapter : 1/4" Hex x 25mm L
- 29 Insert Bits : (1/4" Hex x 25mm L)
 - ⊕ POZIDRIV® : PZ0, PZ1, PZ2, PZ3
 - ⊕ Phillips : PH0, PH1, PH2, PH2, PH3
 - Hex : 2, 3, 4, 5, 6 mm
 - ⊖ Slotted : 3, 4, 5, 6, 7 mm
 - ⊕ TORX® : T6, T8, T10, T15, T20, T25, T27, T30, T40



31 Pc. Screwdriver Bit Set

| Item No. |  | KGS |
|----------|---|------|
| 444-002 | 6 | 0.38 |

- Screwdriver Bit Holder
- Adapter : 1/4" Hex x 25mm L
- 29 Insert Bit : (1/4" Hex x 25mm L)
 - ⊕ Spline : M5, M6, M8
 - ⊕ TORQ-SET® : TS6, TS8, TS10
 - ⊕ TRI-WING® : TW1, TW2, TW3, TW4
 - ⊕ Hex Tamperproof : 2, 2.5, 3, 4, 5, 6 mm
 - ⊕ Spanner : SP4, SP6, SP8, SP10
 - ⊕ TORX® Tamperproof : T6, T8, T10, T15, T20, T25, T27, T30, T40



1 SOCKETS

2 WRENCHES

3 SCREWDRIVERS

4 HEX WRENCH

5 FASTENER DRIVE TOOLS

6 HAND TOOLS

7 STORAGE

8 PNEUMATIC

9 DIAMOND WHEELS

10 CORE BITS

11 HOLE SAWS

12 ABRASIVES



61 Pc. 1/4" Dr. Socket & Bit Set

| Item No. | | KGS |
|----------|---|-----|
| 487-011 | 1 | 1.2 |

- 12 Metric Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 10 SAE Sockets : 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 35 Insert Bits : (1/4" Hex x 25mm L)
 - Slotted : 3, 4, 5, 6, 7 mm
 - Phillips : PH0, PH1, PH2, PH2, PH3
 - POZIDRIV® : PZ0, PZ1, PZ2, PZ2, PZ3
 - Hex : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
 - TORX® Tamperproof : T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
- Flexible Ratchet Screwdriver Handle
- Extension : 3"
- Magnetic Bit Holder : 1/4" Hex x 60mm L
- Adapter : 1/4" Hex x 1/4" Sq.



Blow Mold Box

100 Pc. Screwdriver Bit Set

| Item No. | | KGS |
|----------|---|-----|
| 499-061 | 1 | 0.8 |

- Magnetic Bit Holder : 1/4" Hex Dr. x 1/4" Hex Holder x 60mm L
- 2 Socket Adapters : 1/4" Sq. Dr. & 1/4" Hex x 25mm L
1/4" Sq. Dr. & 1/4" Hex x 50mm L
- Bit Adapter : 1/4" Dr. x 1/4" Hex
- Y Type Spanner
- 95 Insert Bits , 1/4" Hex x 25mm L
 - Phillips : PH0, PH1, PH2, PH2, PH2, PH2, PH3
 - POZIDRIV® : PZ0, PZ1, PZ2, PZ2, PZ2, PZ2, PZ3
 - Slotted : 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm
 - TORX® : T8, T10, T15, T20, T25, T27, T30, T40, T45
 - TORX® Tamperproof : T8, T10, T15, T20, T25, T27, T30, T35, T40
 - Hex : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm
 - Hex : 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
 - Hex Tamperproof : 2, 2.5, 3, 4, 5, 6 mm
 - Hex Tamperproof : 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"
 - Spanner : SP4, SP6, SP8, SP10
 - TRI-WING® : TW1, TW2, TW3, TW4
 - TORQ-SET® : TS6, TS8, TS10
 - Square Recess : S0, S1, S2, S3
 - Spline : M5, M6, M8
 - Clutch C : C1, C2, C3



Blow Mold Box